

BS2_GetUserDatas 1

..... 1

..... 1

..... 2

..... 2

BS2_GetUserDatas

[+ 2.5.0] userMask 가 가 . .

```
#include "BS_API.h"

int BS2_GetUserDatas(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

BS2UserBlob

BS2UserBlob
[[<https://support.supremainc.com/a/solutions/articles/24000073140?lang=en>]]

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	

0x0400	
0x0800	(FaceStation F2)
0x1000	(FaceStation F2)
0xFFFF	

BS_SDK_SUCCESS , 가

- BS2_GetUserList
- BS2_RemoveUser
- BS2_RemoveAllUser
- BS2_GetUserInfos
- BS2_GetUserInfosEx
- BS2_EnrolUser
- BS2_EnrolUserEx
- BS2_GetUserDatas
- BS2_GetUserDatasEx

From:
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserdatas&rev=1637284503

Last update: **2021/11/19 10:15**