

BS2_GetUserDatas

.....

.....

.....

.....

.....

.....

1

1

1

2

2

BS2_GetUserDatas

[+ 2.5.0]

userMask

가

가

.

```
#include "BS_API.h"

int BS2_GetUserDatas(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

BS2UserBlob

<https://support.supremainc.com/a/solutions/articles/24000073140?lang=en>

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	
0x0400	

0x0800	(FaceStation F2)
0x1000	(FaceStation F2)
0xFFFF	

BS_SDK_SUCCESS , 가

[BS2_GetUserList](#)
[BS2_RemoveUser](#)
[BS2_RemoveAllUser](#)
[BS2_GetUserInfos](#)
[BS2_GetUserInfosEx](#)
[BS2_EnrolUser](#)
[BS2_EnrolUserEx](#)
[BS2_GetUserDatas](#)
[BS2_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserdatas&rev=1637284811

Last update: **2021/11/19 10:20**