

**BS2\_GetUserDatasExFromDir**

.....

.....

.....

.....

.....

.....

1

1

1

2

2

# BS2\_GetUserDatasExFromDir

[+ 2.5.0] USB                      Data                      가                      .

```
#include "BS_API.h"

int BS2_GetUserDatasExFromDir(void* context, const char* szDir, char* uids,
uint32_t uidCount, BS2UserBlobEx* userBlob, BS2_USER_MASK userMask);
```

BS2UserBlobEx

- [In] *context* : Context
- [In] *szDir* : Data
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* :                      Mask

|        |                  |
|--------|------------------|
|        |                  |
| 0x0000 |                  |
| 0x0001 | data             |
| 0x0002 |                  |
| 0x0004 |                  |
| 0x0008 |                  |
| 0x0010 | PIN              |
| 0x0020 |                  |
| 0x0040 |                  |
| 0x0080 |                  |
| 0x0100 |                  |
| 0x0200 |                  |
| 0x0400 |                  |
| 0x0800 | (FaceStation F2) |
| 0x1000 | (FaceStation F2) |
| 0xFFFF |                  |

BS\_SDK\_SUCCESS , 가

BS2\_AllocateUsbContext  
BS2\_ReleaseUsbContext  
BS2\_GetUserDatabaseInfoFromDir  
BS2\_GetUserListFromDir  
BS2\_GetUserInfosFromDir  
BS2\_GetUserDatasFromDir  
BS2\_GetUserInfosExFromDir  
BS2\_GetLogFromDir  
BS2\_GetLogBlobFromDir  
BS2\_GetFilteredLogFromDir

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_getuserdatasexfromdir](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserdatasexfromdir)

Last update: **2020/08/21 11:48**