

**BS2\_GetUserInfosEx** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_GetUserInfosEx

가 .

```
#include "BS_API.h"


int BS2_GetUserInfosEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserBlobEx* userBlob);
```

[BS2UserBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :

BS\_SDK\_SUCCESS , 가

- [BS2\\_GetUserList](#)
- [BS2\\_RemoveUser](#)
- [BS2\\_RemoveAllUser](#)
- [BS2\\_GetUserInfos](#)
- [BS2\\_GetUserInfosEx](#)
- [BS2\\_EnrolUser](#)
- [BS2\\_EnrolUserEx](#)
- [BS2\\_GetUserDatas](#)
- [BS2\\_GetUserDatasEx](#)



From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_getuserinfosex&rev=1540949540](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserinfosex&rev=1540949540)

Last update: **2018/10/31 10:32**