

BS2_GetUserInfosEx

.....

.....

.....

.....

.....

.....

.....

1

1

1

1

1

2

BS2_GetUserInfosEx

가 .

```
#include "BS_API.h"
```

```
int BS2_GetUserInfosEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserBlobEx* userBlob);
```

BS2UserBlobEx

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :

BS_SDK_SUCCESS , 가

</code>

C#

```
BS2User user = userList[selection];
BS2UserBlobEx[] userBlob = Util.AllocateStructureArray<BS2UserBlobEx>(1);
if (dbHandler.GetUserBlobEx(ref deviceInfo, ref user, ref userBlob[]))
{
    Console.WriteLine("Trying to enroll user.");
    BS2ErrorCode result = (BS2ErrorCode)API.BS2_EnrollUserEx(sdkContext,
deviceId, userBlob, 1, 1);

    if (result != BS2ErrorCode.BS_SDK_SUCCESS)
    {
        Console.WriteLine("Got error({0}).", result);
    }
}
```

```
if (userBlob[].card0bjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[].card0bjs);
}

if (userBlob[].finger0bjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[].finger0bjs);
}

if (userBlob[].face0bjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[].face0bjs);
}
}
```

[BS2_GetUserList](#)
[BS2_RemoveUser](#)
[BS2_RemoveAllUser](#)
[BS2_GetUserInfos](#)
[BS2_GetUserInfosEx](#)
[BS2_EnrolUser](#)
[BS2_EnrolUserEx](#)
[BS2_GetUserDatas](#)
[BS2_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserinfosex&rev=1640586591

Last update: **2021/12/27 15:29**