

BS2_GetUserList 1

..... 1

..... 1

..... 1

..... 2

..... 2

BS2_GetUserList

가

BS2_USER_ID_SIZE

```
#include "BS_API.h"

int BS2_GetUserList(void* context, uint32_t deviceId, char** uidsObjs,
uint32_t* numUid, IsAcceptableUserID ptrIsAcceptableUserID);
```

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *uidsObjs* :
- [Out] *numUid* :
- [In] *ptrIsAcceptableUserID* : TBD

uidsObjs BS2_ReleaseObject

C++

```
int sdkResult = BS2_GetUserList(context_, id, &uidObj, &numUID,
isAcceptableUID);
if (BS_SDK_SUCCESS != sdkResult)
{
    TRACE("BS2_GetUserList call failed: %d", sdkResult);
    return sdkResult;
}
```

C#

```
BS2ErrorCode result = (BS2ErrorCode)API.BS2_GetUserList(sdkContext,
deviceId, out outUidObjs, out numUserIds, cbIsAcceptableUserID);
```

BS_SDK_SUCCESS , 가

BS2_GetUserList
BS2_RemoveUser
BS2_RemoveAllUser
BS2_GetUserInfos
BS2_GetUserInfosEx
BS2_EnrolUser
BS2_EnrolUserEx
BS2_GetUserDatas
BS2_GetUserDatasEx

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserlist&rev=1638418197

Last update: **2021/12/02 13:09**