

BS2_GetUserSmallDatasEx

.....

.....

.....

.....

.....

.....

1

1

1

2

2

BS2_GetUserSmallDatasEx

API	API	API	API
[+ 2.6.3]	가	.	
userMask		가	.
BS2UserBlobEx	BS2_GetUserDatasEx		
3	BS2UserSmallBlobEx	BS2UserPhoto	가

```
#include "BS_API.h"
```

```
int BS2_GetUserSmallDatasEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserSmallBlobEx* userBlob, BS2_USER_MASK userMask);
```

BS2UserSmallBlobEx

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 7+
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	
0x0400	
0x0800	(FaceStation F2)

0x1000	(FaceStation F2)
0xFFFF	

BS_SDK_SUCCESS , 가

[BS2_EnrollUserSmall](#)
[BS2_EnrollUserSmallEx](#)
[BS2_GetUserSmallInfos](#)
[BS2_GetUserSmallInfosEx](#)
[BS2_GetUserSmallDatas](#)
[BS2_GetUserSmallDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getusersmalldatasex&rev=1597977689

Last update: **2020/08/21 11:41**