

BS2_GetUserSmallInfosEx 1
..... 1
..... 1
..... 1
..... 1

BS2_GetUserSmallInfosEx

[+ 2.6.3] [가](#) . [BS2UserBlobEx](#)
[BS2_GetUserInfosEx](#)

3 BS2UserSmallBlobEx BS2UserPhoto가

```
#include "BS_API.h"

int BS2_GetUserSmallInfosEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserSmallBlobEx* userBlob);
```

[BS2UserSmallBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :

BS_SDK_SUCCESS , 가

- [BS2_EnrollUserSmall](#)
- [BS2_EnrollUserSmallEx](#)
- [BS2_GetUserSmallInfosEx](#)
- [BS2_GetUserSmallDatasEx](#)

From:
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getusersmallinfosex&rev=1557809710

Last update: **2019/05/14 13:55**

