

**BS2\_RemoveDoor** ..... 1

..... 1

..... 1

..... 1

..... 1

## BS2\_RemoveDoor

```
#include "BS_API.h"

int BS2_RemoveDoor(void* context, uint32_t deviceId, uint32_t* doorIds,
uint32_t doorIdCount);
```

- [In] *context* : Context
- [In] *deviceId* :
- [In] *doorIds* : door id
- [In] *doorIdCount* : door id

BS\_SDK\_SUCCESS , 가

- [BS2\\_GetDoor](#)
- [BS2\\_GetAllDoor](#)
- [BS2\\_GetDoorStatus](#)
- [BS2\\_GetAllDoorStatus](#)
- [BS2\\_SetDoor](#)
- [BS2\\_GetAllDoorStatus](#)
- [BS2\\_SetDoorAlarm](#)
- [BS2\\_RemoveAllDoor](#)
- [BS2\\_ReleaseDoor](#)
- [BS2\\_LockDoor](#)
- [BS2\\_UnlockDoor](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_removedoor](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_removedoor)

Last update: **2016/02/02 14:28**