

BS2_ScanFingerprintEx 1

..... 1

..... 1

..... 1

..... 2

BS2_ScanFingerprintEx

[+ 2.5.0]

NOTE

[V2.6.4] 가

[BS2_GetFingerTemplateQuality](#)

```
#include "BS_API.h"

int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outquality, OnReadyToScan ptrReadyToScan);
```

[BS2Fingerprint](#)

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *finger* :
- [In] *templateIndex* :
- [In] *quality* :
- [In] *templateFormat* :
- [Out] *outquality* :
- [Out] *ptrReadyToScan* : 가

BS_SDK_SUCCESS , 가

[BS2_ScanFingerprint](#)
[BS2_VerifyFingerprint](#)
[BS2_GetLastFingerprintImage](#)
[BS2_GetFingerTemplateQuality](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_scanfingerprintex

Last update: **2019/05/09 14:00**