

**BS2\_ScanFingerprintEx** ..... 1

..... 1

..... 1

..... 1

..... 1

Fingerprint API > BS2\_ScanFingerprintEx

# BS2\_ScanFingerprintEx

[+ 2.5.0]

```
#include "BS_API.h"


int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outquality, OnReadyToScan ptrReadyToScan);
```

[BS2Fingerprint](#)

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *finger* :
- [In] *templateIndex* :
- [In] *quality* :
- [In] *templateFormat* :
- [Out] *outquality* :
- [Out] *ptrReadyToScan* : 가

BS\_SDK\_SUCCESS , 가

[BS2\\_VerifyFingerprint](#)



From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_scanfingerprintex&rev=1520840602](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_scanfingerprintex&rev=1520840602)

Last update: **2018/03/12 16:43**