

BS2_SetGlobalAPBViolationByDoorOpenHandler 1

..... 1

..... 1

..... 1

..... 2

BS2_SetGlobalAPBViolationByDoorOpenHandler

[+ 2.7.0] Global APB 가 BS2_SetCheckGlobalAPBViolationHandler가 가 .

Global APB By Door Open , 2

1 가 , OnCheckGlobalAPBViolationByDoorOpen

2 가

OnUpdateGlobalAPBViolationByDoorOpen .

OnUpdateGlobalAPBViolationByDoorOpen update .

```
#include "BS_API.h"

int BS2_SetGlobalAPBViolationByDoorOpenHandler(void* context,
OnCheckGlobalAPBViolationByDoorOpen ptrCheck,
OnUpdateGlobalAPBViolationByDoorOpen ptrUpdate);
```

OnCheckGlobalAPBViolationByDoorOpen
OnUpdateGlobalAPBViolationByDoorOpen

- [In] *context* : Context
- [In] *ptrCheck* : 가
- [In] *ptrUpdate* :

BS2AuthConfig useGlobalAPB가 true ,
BS2DoorSensor apbUseDoorSensor가 true .

BS_SDK_SUCCESS , 가

BS2_CheckGlobalAPBViolationByDoorOpen

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_setglobalapbviolationbydooropenhandler

Last update: **2020/07/21 20:32**