

2.3		1
-----	-------	---

2.3

2016-08-03

- Multi Wiegand Format
- BioEntry W2

가

1. 가 .
15 .
 - [BS2_GetWiegandMultiConfig](#) 가
 - [BS2_SetWiegandMultiConfig](#) 가
 - [BS2WiegandMultiConfig](#) 가
2. **wiegandMultiSupported**가 [BS2SimpleDeviceInfo](#) 가 .
[BS2SimpleDeviceInfo](#) 가 , 가 가 .
3. **0x0D**(BioEntry W2) [BS2SimpleDeviceInfo](#) 가 . SDK
[BS2SimpleDeviceInfo](#) BioEntry W2 가 , 가 .
4. **IsAcceptableUserID** 가 [BS2_GetUserList](#) 가 .
BioStar 2 Device SDK
BioStar v1.91 BioStar v1.91 BioStation 2, BioStation A2,
BioStation L2, BioEntry W2 BioStar 2 Device SDK
BioStar 1 ID 4294967295 2 32 ID 가
BioStar 1 가 BioStar 1 ID 가
가 가 .

```
#include "BS_API.h"
```

```
int BS2_GetUserList(void* context, uint32_t deviceId, char** uidsObjs,  
uint32_t* numUid);
```

```
#include "BS_API.h"
```

```
int BS2_GetUserList(void* context, uint32_t deviceId, char** uids0bjs,
uint32_t* numUid, IsAcceptableUserID ptrIsAcceptableUserID);
```

```
BS2_GetUserList(context, deviceId, uids0bjs, numUid, null);
```

5. `BS2_GetLastFingerprintImage` 가 가 .
가 가 가 . BioStar 2
가 가 .

6. `templateFormat` 가 `BS2_ScanFingerprint` 가 .
, ISO 19794-2, ANSI 384 3 .

0	Suprema Template
1	ISO19794-2
2	ANSI-378

```
#include "BS_API.h"

int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, OnReadyToScan
ptrReadyToScan);
```

```
#include "BS_API.h"

int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
OnReadyToScan ptrReadyToScan);
```

7. `wiegandMultiConfig` 가 `BS2Configs` 가 .
`BS2Configs`
가 가 , `BS2Configs` 가 가 .

8. `wiegandInputMask` 가 `BS2WiegandConfig` 가 .
가 , 가 RS-485
가 . 0 , 2 , 6 가 ,

0000000010001010 . 0

9.wiegandCardMask 가 BS2WiegandConfig 가
가 ,
가 가
1 , 2 , 3 , 00000000000011110 . 0 ,

10.wiegandCSNIndex 가 BS2WiegandConfig 가
CSN ,
Mifare EM CSN ,
CSN 0 ,
0 .

11.BS2WiegandConfig reserved 가 uint8_t reserved[27] uint8_t
reserved[32]
BS2WiegandConfig 3 가 가 reserved 5

12.BS2Door alarmFlags 가 uint8_t alarmFlags uint8_t unconditionalLock
alarmFlags BS2Door , unconditionalLock 가
가 , alarmFlags
unconditionalLock 가

From:
<https://kb.supremainc.com/kbtest/> - BioStar Device SDK

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_230

Last update: 2023/04/11 15:10