

2.5.0		1
		1
		1
		2

2.5.0

2017-09-25

BioStar 2 Device SDK

가

, SDK

- SEOS (Elite Key, RF)
 - CoreStation , P2
 - Intrusion Alarm Zone
 - Ethernet Zone
 - USB Export
 - 가
1. SEOS (Elite Key, RF)

iClass SEOS

 - [BS2_GetCardConfigEx](#) 가
 - [BS2_SetCardConfigEx](#) 가
 - [BS2CardConfigEx](#) 가
2. CoreStation CoreStation CoreStation Master

Controller Slave

Controller

UI CoreStation BioStar

 - [BS2_GetSlaveExDevice](#) 가
 - [BS2_SetSlaveExDevice](#) 가
 - [BS2Rs485SlaveDeviceEX](#) 가
3. Intrusion Alarm Zone

가

Video

 - [BS2_GetIntrusionAlarmZone](#) 가

- BS2_GetIntrusionAlarmZoneStatus 가
- BS2_SetIntrusionAlarmZone 가
- BS2_SetIntrusionAlarmZoneAlarm 가
- BS2_RemoveIntrusionAlarmZone 가
- BS2_SetIntrusionAlarmZoneArm 가
- BS2IntrusionAlarmZoneBlob 가

4. Ethernet Zone Zone Master BioStar V2.x 가 가
(Master ↔ Member) Ethernet TCP Zone 1.x
Entrance Limit, Fire Alarm Zone .

- BS2_GetDeviceZone 가
- BS2_SetDeviceZone 가
- BS2_RemoveDeviceZone 가
- BS2_SetDeviceZoneAlarm 가
- BS2DeviceZoneConfig 가

5.USB Export T&A USB BioStar Export / Import T&A USB , USB

- [BS2_GetUserListFromDir](#) 가
- [BS2_GetUserInfosFromDir](#) 가
- [BS2_GetLogFromDir](#) 가

6. 가 SDK 가

- BS2 GetFilteredLogSinceEventId 가

1. BS2_ScanFingerprint	BS2_ScanFingerprintEx	가가
outQuality	가가	.

```
#include "BS_API.h"
```

```
int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outQuality, OnReadyToScan ptrReadyToScan);
```

2. SSL connect wait time

3. Payload size가 Internal Error

4. Packet Loss

```

5. C#
    )
    가
    BS2Schedule
    BS2_GetAllAccessSchedule, BS2_GetAccessSchedule,
    BS2_SetAccessSchedule WRAPPER CSP_BS2_GetAllAccessSchedule,
    CSP_BS2_GetAccessSchedule, CSP_BS2_SetAccessSchedule
    scheduleUnion.daily, scheduleUnion.weekly isDaily
    . C#
    (Union
    ,
    CSP_BS2Schedule

```

6. BS2 GetFilteredLogSinceEventId 가 . C#

7. C#	Util GetAll, Get Remove, Set	Wrapper	Template	가가
-------	------------------------------	---------	----------	----

8. Linux CPU 100%

9. C# BS2CardModelEnum{ODPW, OAPW} 가가

10. C#	Util	UnixTimeStamp	UTC
--------	------	---------------	-----

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_250

Last update: **2023/08/17 13:41**