

2.5.0		1
-------	-------	---

2.5.0

2017-09-25

BioStar 2 Device SDK

가

, SDK

- SEOS (Elite Key, RF)
- CoreStation , P2
- Intrusion Alarm Zone
- Ethernet Zone
- USB Export
- 가

1. SEOS (Elite Key, RF) iClass SEOS

- [BS2_GetCardConfigEx](#) 가
- [BS2_SetCardConfigEx](#) 가
- [BS2CardConfigEx](#) 가

2. CoreStation CoreStation . CoreStation Master
Controller Controller Slave
UI CoreStation BioStar

- [BS2_GetSlaveExDevice](#) 가
- [BS2_SetSlaveExDevice](#) 가
- [BS2Rs485SlaveDeviceEX](#) 가

3. Intrusion Alarm Zone
가
(biostar1.X) , 3rd party alarm / Video
Visual map

```
* [[BS2_GetIntrusionAlarmZone]] 가
* [[BS2_GetIntrusionAlarmZoneStatus]] 가
* [[BS2_SetIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneAlarm]] 가
* [[BS2_RemoveIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneArm]] 가
* [[Configuration API#BS2IntrusionAlarmZoneBlob]] 가
```

4.Ethernet Zone Zone Master BioStar V2.x 가 가
(Master ↔ Member) Ethernet TCP Zone . 1.x
Entrance Limit, Fire Alarm Zone .

- [BS2_GetDeviceZone](#) 가
- [BS2_SetDeviceZone](#) 가
- [BS2_RemoveDeviceZone](#) 가
- [BS2_SetDeviceZoneAlarm](#) 가
- [BS2DeviceZoneConfig](#) 가

5.USB Export . USB USB
Export / Import T&A . () BioStar
가 USB , , USB
T&A . USB .

- [BS2_GetUserListFromDir](#) 가
- [BS2_GetUserInfosFromDir](#) 가
- [BS2_GetLogFromDir](#) 가

5. 가 SDK 가

* [BS2_GetFilteredLogSinceEventId](#) 가

1. BS2_ScanFingerprint BS2_ScanFingerprintEx 가가
outQuality 가가 .

```
#include "BS_API.h"

int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outQuality, OnReadyToScan ptrReadyToScan);
```

2. SSL connect wait time .

3. Payload size가 Internal Error .
4. Packet Loss Packet UDP 가
5. C# BS2Schedule . C# (Union) 가 . BS2Schedule CSP_BS2Schedule , BS2Schedule BS2_GetAllAccessSchedule, BS2_GetAccessSchedule, BS2_SetAccessSchedule WRAPPER CSP_BS2_GetAllAccessSchedule, CSP_BS2_GetAccessSchedule, CSP_BS2_SetAccessSchedule . CSP_BS2Schedule scheduleUnion.daily, scheduleUnion.weekly isDaily .
6. BS2_GetFilteredLogSinceEventId 가 . C#
7. C# Util GetAll, Get Remove, Set Wrapper Template 가가
8. Linux CPU 100% .
9. C# BS2CardModelEnum{ODPW, OAPW} 가가 .
10. C# Util UnixTimeStamp UTC .

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_250&rev=1508283619

Last update: **2017/10/18 08:40**