

2.5.0		1
-------	-------	---

2.5.0

2017-09-25

BioStar 2 Device SDK 가 , SDK

- SEOS (Elite Key, RF)
- CoreStation , P2
- Intrusion Alarm Zone
- Ethernet Zone
- USB Export
- 가

1. SEOS (Elite Key, RF) iClass SEOS

- [BS2_GetCardConfigEx](#) 가
- [BS2_SetCardConfigEx](#) 가
- [BS2CardConfigEx](#) 가

2. CoreStation CoreStation . CoreStation Master

Controller Controller Slave .
 , UI CoreStation BioStar

- [BS2_GetSlaveExDevice](#) 가
- [BS2_SetSlaveExDevice](#) 가
- [BS2Rs485SlaveDeviceEX](#) 가

3. Intrusion Alarm Zone

가

(biostar1.X) , 3rd party alarm / , Video
 Visual map

```
* [[BS2_GetIntrusionAlarmZone]] 가
* [[BS2_GetIntrusionAlarmZoneStatus]] 가
* [[BS2_SetIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneAlarm]] 가
* [[BS2_RemoveIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneArm]] 가
* [[Configuration API#BS2IntrusionAlarmZoneBlob]] 가
```

4. Ethernet Zone Zone Master BioStar V2.x 가 가
(Master ↔ Member) Ethernet TCP Zone 1.x
Entrance Limit, Fire Alarm Zone .

- BS2_GetDeviceZone 가
- BS2_SetDeviceZone 가
- BS2_RemoveDeviceZone 가
- BS2_SetDeviceZoneAlarm 가
- BS2DeviceZoneConfig 가

5.USB Export T&A USB Export / Import T&A USB (BioStar , USB , USB

- BS2_GetUserListFromDir 가
- BS2_GetUserInfosFromDir 가
- BS2_GetLogFromDir 가

5. 가 SDK 가

* BS2 GetFilteredLogSinceEventId 가

1. BS2_ScanFingerprint	BS2_ScanFingerprintEx	가가
outQuality		가가

```
#include "BS_API.h"
```

```
int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outQuality, OnReadyToScan ptrReadyToScan);
```

2. SSL connect wait time

3. Payload size가 Internal Error .
4. Packet Loss Packet UDP 가
5. C# BS2Schedule . C# (Union) 가 . BS2Schedule CSP_BS2Schedule , BS2Schedule BS2_GetAllAccessSchedule, BS2_GetAccessSchedule, BS2_SetAccessSchedule WRAPPER CSP_BS2_GetAllAccessSchedule, CSP_BS2_GetAccessSchedule, CSP_BS2_SetAccessSchedule . CSP_BS2Schedule scheduleUnion.daily, scheduleUnion.weekly isDaily .
6. BS2_GetFilteredLogSinceEventId 가 . C#
7. C# Util GetAll, Get Remove, Set Wrapper Template 가가
8. Linux CPU 100% .
9. C# BS2CardModelEnum{ODPW, OAPW} 가가 .
10. C# Util UnixTimeStamp UTC .

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_250&rev=1508283635

Last update: **2017/10/18 08:40**