2.6.3 (V2.6.3.5)

2019-07-24

- XPass D2 Keypad
- Face Lite
- XPass 2, XPass 2 Keypad
- IPv6 (BS2 FW 1.8.0 only)
-
-
- BS2_EnrollUser BS2_EnrollUserEx
- BS2UserBlob / BS2UserBlobEx
  BS2UserSmallBlob / BS2UserSmallBlobEx (User Photo)
- Admin User 1000 (BS2 1.8.0, A2 1.7.0, L2 1.5.0, N2 1.2.0, FS 1.3.0, FaceLite 1.0.1, CS40 1.3.0, P2 1.3.0, W2 1.4.0, Xpass 2 1.0.0 ,)
-
-

1. XPass D2 Keypad .

2. Face Lite .

3. XPass 2, XPass 2 Keypad .

4. IPv6 .
SDK IP V6 .

- [BS2IPV6Config](#)
- [BS2IPv6DeviceInfo](#)
- [BS2_SetDebugExCallback](#)
- [BS2_GetIPConfigViaUDPEx](#)
- [BS2_SetIPConfigViaUDPEx](#)
- [BS2_GetIPV6Config](#)
- [BS2_SetIPV6Config](#)
- [BS2_GetIPV6ConfigViaUDP](#)
- [BS2_SetIPV6ConfigViaUDP](#)
- [BS2_GetIPV6ConfigViaUDPEx](#)
- [BS2_SetIPV6ConfigViaUDPEx](#)
- [BS2_GetEnableIPV4](#):
- [BS2_SetEnableIPV4](#):
- [BS2_GetEnableIPV6](#):
- [BS2_SetEnableIPV6](#):
- [BS2_SetServerPortIPV6](#):

- [BS2_GetServerPortIPV6]():
- [BS2_SetSSLServerPortIPV6]():
- [BS2_GetSSLServerPortIPV6]():
- [BS2_GetSpecifiedDeviceInfo]():
- [BS2_SearchDevicesCoreStationEx]():

5.

- [BS2_GetServerPort]()
- [BS2_GetSSLServerPort]()

6.

- [BS2_SetDefaultResponseTimeout]()
- [BS2_GetDefaultResponseTimeout]()

7. BS2_EnrollUser BS2_EnrollUserEx .

BS2_EnrolUser, BS2_EnrolUserEx .

- [BS2_EnrollUser]()
- [BS2_EnrollUserEx]()

8. [BS2UserBlob]() [BS2UserBlobEx]() [BS2UserPhoto]()

.

photo .

,

.

2.6.3 [BS2UserPhoto]() ,

.

- [BS2UserSmallBlob]()
- [BS2UserSmallBlobEx]()
- [BS2_EnrollUserSmall]()
- [BS2_EnrollUserSmallEx]()
- [BS2_GetUserSmallInfos]()
- [BS2_GetUserSmallDatas]()
- [BS2_GetUserSmallInfosEx]()
- [BS2_GetUserSmallDatasEx]()
- [BS2_VerifyUserSmall]()
- [BS2_IdentifyUserSmall]()
- [BS2_VerifyUserSmallEx]()
- [BS2_IdentifyUserSmallEx]()
- [BS2_GetUserSmallInfosFromDir]()
- [BS2_GetUserSmallDatasFromDir]()
- [BS2_GetUserSmallInfosExFromDir]()
- [BS2_GetUserSmallDatasExFromDir]()

9. 1000 .

[BS2AuthConfig]() , 10

.

2.6.3 1000 .

> BS2AuthConfig 1000
>
> BS2AuthConfig
>
> BS2AuthConfig

- BS2AuthOperatorLevel
- BS2_GetAuthOperatorLevelEx
- BS2_GetAllAuthOperatorLevelEx
- BS2_SetAuthOperatorLevelEx
- BS2_RemoveAuthOperatorLevelEx
- BS2_RemoveAllAuthOperatorLevelEx

10.

- BS2Fingerprint
- BS2_GetFingerTemplateQuality

11.

- BS2_SetDebugFileLog

1. Firmware file , Code sign , SDK
   firmware file .

- BS2_UpgradeFirmware

2. ,
   .

3. SSL ,
   .

4. crash .

- BS2_SearchDevicesEx

5. SDK

(hang) .

- [BS2_ReleaseContext]
- [BS2_SetMaxThreadCount]

6. iClass SEOS card config (BS_SDK_ERROR_NOT_SUPPORTED) .

- [BS2_GetCardConfigEx]

7. SSL SSL ,

.

8. Lift control floor level .

- [BS2_GetFloorLevel]

9. template 384byte .

10. Slave .

- [BS2_ScanFingerprint]
- [BS2_VerifyFingerprint]

11.

,

timeout
BS_SDK_ERROR_NOT_SUPPORTED .

- [BS2_GetConfig]

12. Access schedule ,

.

- [BS2_SetAccessSchedule]

13. , .

14. SDK .

15. SSL SSL .

16. Socket .

(5ms . 10 100ms)

17. thread .

[BS2_SetMaxThreadCount] (2.6.3):
thread .

timer(2), server matching(1), notification(1), TCP/UDP (1)

6 thread thread .

thread 8 .

8 thread 6 thread 2

.

[BS2_SetMaxThreadCount](#) (2.6.3):

thread thread . 2 .

	( )	( )	( )	( )
BS2_SetMaxThreadCount	MAX(NumberOfCpuCores*5, 15)	8	MAX(NumberOfCpuCores*5, 15)	2
BS2_SetMaxConnectThreadCount	8	1	8	1

18. [BS2_ConnectDeviceViaIP](#) , IP ,
IP port .

19. [C#] BS2Door alarmFlags unconditionalLock .

20. [C#] BS2SoundAction delay .

21. [C#] LogControl BS2_GetLogBlob BS2EventMaskEnum.JOB_CODE
BS2EventMaskEnum.ALL .

22. [C#] CardControl blacklist .

23. [C#] ConfigControl BS2_SetDstConfig startTime.weekDay
endTime.weekDay .

24. [C#] SlaveControl slave device .

25. .

- [BS2SystemConfig](#)

26. .

- [BS2FaceConfig](#)

27. .

- [BS2FaceConfig](#)

28. ( ) .

- BS2FaceConfig
- BS2FingerprintConfig

29. GDPR(   )   .

- BS2SystemConfig

From:
https://kb.supremainc.com/kbtest/ - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_263&rev=1677732689

Last update: **2023/03/02 13:51**