

|       |                   |   |
|-------|-------------------|---|
| 2.9.6 | <b>(V2.9.6.0)</b> | 1 |
|       |                   | 1 |
|       |                   | 1 |
|       |                   | 2 |

## 2.9.6 (V2.9.6.0)

2024-02-05

- BioEntry W3 (BEW3-DB, BEW3-APB)
- XPass 2 가 (XP2-MAPB)
- 
- wiegand , 가
- 가
- /
- RS485 baudrate 가
- 가

1.

- BioEntry W3 (BEW3-DB, BEW3-APB)
- XPass 2 (XP2-MAPB)

2. 가 .

가  
BioStation 3, FaceStation F2, BioEntry W3      visual face

- BS2FaceConfig
- BS2FaceEx

3. wiegand

가 .

- BS2Trigger
- BS2DeviceCapabilities

4. 가 , 가 LED command 가 .

## LED command

- BS2DisplayConfig
- BS2DeviceCapabilities

5. RS485                      baudrate                      가                      .

baudrate

가

- BS2 SetSlaveBaudrate 가

6. 가 가 .

가 가

- [BS2\\_InitializeEx](#) 가

1. CoreStation 40 face configuration 가 , BS\_SDK\_ERROR\_NOT\_SUPPORTED 가

- [BS2\\_GetFaceConfig](#)
- [BS2\\_SetFaceConfig](#)
- [BS2FaceConfig](#)

2. [BS2\\_GetFilteredLogSinceEventId](#)가  
[BS2\\_GetLog](#) [BS2\\_StartMonitoringLog](#)

- [BS2\\_GetFilteredLogSinceEventId](#)
- [BS2\\_GetLog](#)
- [BS2\\_StartMonitoringLog](#)
- [BS2\\_StopMonitoringLog](#)

3. SDK

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:release\\_note\\_296&rev=1708483681](https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_296&rev=1708483681)

Last update: **2024/02/21 11:48**