

2.9.6 **(V2.9.6.0)** 1
 1
 1
 2

2.9.6 (V2.9.6.0)

2024-02-05

- BioEntry W3 (BEW3-DB, BEW3-APB)
- XPass 2 가 (XP2-MAPB)
-
- wiegand , 가
- 가
- /
- RS485 baudrate 가
- 가

1.

- BioEntry W3 (BEW3-DB, BEW3-APB)
- XPass 2 (XP2-MAPB)

2. 가

가 .

가

BioStation 3, FaceStation F2, BioEntry W3 visual face

- [BS2FaceConfig](#)
- [BS2FaceEx](#)

3.

wiegand ,

가 .

- [BS2Trigger](#)
- [BS2DeviceCapabilities](#)

4.

가 ,

LED command 가 .

- [BS2DisplayConfig](#)
- [BS2DeviceCapabilities](#)

5.

가 가 .

- [BS2_InitializeEx](#) 가

1. CoreStation 40 face configuration 가 , BS_SDK_ERROR_NOT_SUPPORTED 가

- [BS2_GetFaceConfig](#)
- [BS2_SetFaceConfig](#)
- [BS2FaceConfig](#)

2. [BS2_GetFilteredLogSinceEventId](#)가
[BS2_GetLog](#) [BS2_StartMonitoringLog](#)

- [BS2_GetFilteredLogSinceEventId](#)
- [BS2_GetLog](#)
- [BS2_StartMonitoringLog](#)
- [BS2_StopMonitoringLog](#)

3. SDK

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:release_note_296&rev=1708558849

Last update: **2024/02/22 08:40**