

SDK API	1
.....	1
BS2EncryptKey	1

SDK API

PIN API

- **BS2_Version**: SDK
- **BS2_AllocateContext**: Context
- **BS2_ReleaseContext**: Context
- **BS2_Initialize**: Context
- **BS2_ReleaseObject**:
- **BS2_MakePinCode**: PIN
- **BS2_SetMaxThreadCount**:
- **BS2_ComputeCRC16CCITT**: CRC-16 CCITT
- **BS2_GetCardModel**: 가
- **BS2_GetDataEncryptKey**: 가
- **BS2_SetDataEncryptKey**:
- **BS2_RemoveDataEncryptKey**:
- **BS2_SetDeviceSearchingTimeout**:
- **BS2_SetDebugFileLog**:

BS2EncryptKey

```
enum
{
    BS2_ENC_KEY_SIZE = 32,
};

typedef struct
{
    uint8_t key[BS2_ENC_KEY_SIZE];
    uint8_t reserved[32];
} BS2EncryptKey;
```

1. *key*
2. *reserved*

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:sdk_api&rev=1557380801

Last update: **2019/05/09 14:46**