

SDK API	1
.....	1
BS2EncryptKey	1

SDK API

, PIN API .

- [BS2_Version](#): SDK .
- [BS2_AllocateContext](#): Context .
- [BS2_ReleaseContext](#): Context .
- [BS2_Initialize](#): Context .
- [BS2_ReleaseObject](#): .
- [BS2_MakePinCode](#): PIN .
- [BS2_MakePinCodeWithKey](#): PIN . [+ 2.7.1]
- [BS2_SetMaxThreadCount](#): .
- [BS2_ComputeCRC16CCITT](#): CRC-16 CCITT .
- [BS2_GetCardModel](#): 가 .
- [BS2_GetDataEncryptKey](#): 가 . []
- [BS2_SetDataEncryptKey](#): PIN . [+ 2.7.1]
- [BS2_RemoveDataEncryptKey](#): .
- [BS2_SetDeviceSearchingTimeout](#): .
- [BS2_SetDebugFileLog](#): .

BS2EncryptKey

```
enum
{
    BS2_ENC_KEY_SIZE = 32,
};

typedef struct
{
    uint8_t key[BS2_ENC_KEY_SIZE];
    uint8_t reserved[32];
} BS2EncryptKey;
```

1. *key*

2. *reserved*

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:sdk_api&rev=1600769711

Last update: **2020/09/22 19:15**