

USB Exported Control API 1

- `BS2_GetUserDatasExFromDirWithKey`: [+2.8.3] USB Data UserMask
ID 가 . (Job, phrase)
- `BS2_GetUserSmallInfosFromDirWithKey`: [+2.8.3] USB Data ID 가
.
- `BS2_GetUserSmallDatasFromDirWithKey`: [+2.8.3] USB Data UserMask
ID 가 .
- `BS2_GetUserSmallInfosExFromDirWithKey`: [+2.8.3] USB Data ID
가 . (Job, phrase)
- `BS2_GetUserSmallDatasExFromDirWithKey`: [+2.8.3] USB Data UserMask
ID 가 . (Job, phrase)
- `BS2_GetLogFromDirWithKey`: [+2.8.3] USB Data 가 .
- `BS2_GetLogBlobFromDirWithKey`: [+2.8.3] USB Data EventMask
가 .
- `BS2_GetFilteredLogFromDirWithKey`: [+2.8.3] USB Data 가
.
- `BS2_GetLogSmallBlobFromDirWithKey`: [+2.8.3]
Data EventMask 가 , USB
- `BS2_GetLogSmallBlobExFromDirWithKey`: [+2.8.3]
Data EventMask 가 , USB
- `BS2_GetUserInfosFaceExFromDirWithKey`: [+2.8.3] USB Data ID
가 .
- `BS2_GetUserDatasFaceExFromDirWithKey`: [+2.8.3] USB Data UserMask
ID 가 .

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:use_exported_control_api&rev=1649742135Last update: **2022/04/12 14:42**