

**en\_part9\_configapi** ..... 1

# en\_part9\_configapi

- Configuration API
- BS2\_ResetConfig
- BS2\_ResetConfigExceptNetInfo
- BS2\_GetConfig
- BS2\_SetConfig
- BS2\_GetFactoryConfig
- BS2\_GetSystemConfig
- BS2\_SetSystemConfig
- BS2\_GetAuthConfig
- BS2\_SetAuthConfig
- BS2\_GetStatusConfig
- BS2\_SetStatusConfig
- BS2\_GetDisplayConfig
- BS2\_SetDisplayConfig
- BS2\_GetIPConfig
- BS2\_GetIPConfigViaUDP
- BS2\_SetIPConfig
- BS2\_SetIPConfigViaUDP
- BS2\_GetIPConfigExt
- BS2\_SetIPConfigExt
- BS2\_GetTNAConfig
- BS2\_SetTNAConfig
- BS2\_GetCardConfig
- BS2\_SetCardConfig
- BS2\_GetFingerprintConfig
- BS2\_SetFingerprintConfig
- BS2\_GetRS485Config
- BS2\_SetRS485Config
- BS2\_GetWiegandConfig
- BS2\_SetWiegandConfig
- BS2\_GetWiegandDeviceConfig
- BS2\_SetWiegandDeviceConfig
- BS2\_GetInputConfig
- BS2\_SetInputConfig
- BS2\_GetWlanConfig
- BS2\_SetWlanConfig
- BS2\_GetTriggerActionConfig
- BS2\_SetTriggerActionConfig
- BS2\_GetEventConfig
- BS2\_SetEventConfig
- BS2\_GetWiegandMultiConfig
- BS2\_SetWiegandMultiConfig
- BS2\_GetCard1xConfig
- BS2\_SetCard1xConfig
- BS2\_GetSystemExtConfig
- BS2\_SetSystemExtConfig
- BS2\_GetVoipConfig

- [BS2\\_SetVoipConfig](#)
- [BS2\\_GetFaceConfig](#)
- [BS2\\_SetFaceConfig](#)
- [BS2\\_GetRS485ConfigEx](#)
- [BS2\\_SetRS485ConfigEx](#)
- [BS2\\_GetCardConfigEx](#)
- [BS2\\_SetCardConfigEx](#)
- [BS2\\_GetDstConfig](#)
- [BS2\\_SetDstConfig](#)
- [BS2\\_GetDstConfig](#)
- [BS2\\_SetDstConfig](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=wiki:ebook:en\\_part9\\_configapi](https://kb.supremainc.com/kbtest/doku.php?id=wiki:ebook:en_part9_configapi)

Last update: **2018/06/25 17:49**