

Table of Contents

- How to configure the duress detection feature 1
- What is the duress detection? 1
- How to register duress fingerprints 1
- Step 1. Configuring the output settings 2
- Step 2. Configuring the alarm settings 5


How to configure the duress detection feature

What is the duress detection?


When we are threatened to open a door by verifying ourselves, we need a way to notify security guards or the police without letting the threatening person notice it. How can we do that? We can register one of our fingerprints as a duress fingerprint. When a device recognizes the fingerprint, it sends a signal through a designated relay or makes BioStar Client bring an alarm message box or set off an alarm sound.

How to register duress fingerprints

When you register fingerprints on the **Fingerprints** tab of the **Device** page, set the **Duress** option. You should register at least two fingerprints if you want to use the **Duress** option.




You can set the **Duress** option for the fingerprint you want to use for duress detection. When a user places the duress finger on the fingerprint sensor, BioStar Client gets an **Identify Duress** log record.




In addition to getting the log records, you can configure the settings of BioStar Client so that a device sends an output signal and BioStar Client shows up a popup window when duress fingerprints are detected.

Step 1. Configuring the output settings



1. Go to the **Output** tab of the **Device** page.



2. Click **Add**. This will bring up the **Output Setting** dialog.




3. Choose **Auth Duress** from the Event drop-down list and click **Add**. Click **Save** to close the dialog.




Step 2. Configuring the alarm settings



1. Go to **Option > Event > Alarm Setting**.



2. Click **Add** and choose Identify Duress.

- **Program Sound:** BioStar Client will play a wav sound when duress fingerprints are detected.
- **Send Email:** BioStar Client will send an email containing the alert when duress fingerprints are detected.
- **Acknowledge:** BioStar Client will show up an alarm popup when duress fingerprints are detected.





From:
<http://kb.supremainc.com/knowledge/> -

Permanent link:
http://kb.supremainc.com/knowledge/doku.php?id=en:1xfaq_how_to_configure_the_duress_detection_feature

Last update: **2019/12/31 10:19**