Table of Contents

How to connect AXIS NVR with BioStar	1
Installing AXI Camera Station SDK	1
Configuring AXIS Camera Station Server	1
Configuring the camera settings of BioStar Client	2
How to log in to AXIS NVR	3

BioStar 1, AXIS, NVR

How to connect AXIS NVR with BioStar

Installing AXI Camera Station SDK

1. Install AXIS Camera Station that supports the NVR feature on your PC. You can purchase the software from AXIS distributors and resellers.

2. Install AXIS Camera Station SDK, which is included in the BioStar CD. You can find it in the **Drivers\cameraSDK\AXIS** folder. If you need the latest SDK, ask your local AXIS distributors and resellers.

Configuring AXIS Camera Station Server

1. Click on the tray icon and this will bring up the context menu. Select **Open AXIS Camera Station Service Control**.

Open AXIS Camera Station Service Control
Start Service
Stop Service
Restart Service
Exit

2. Click on the **Developer API** tab, select **Enable developer API** and enter **50333** for **Developer API port**.

📲 AXIS Camera Station Service	Control			
☑ Modify settings		Restore Default Settings		
General Developer API				
Settings				
Developer API port:	50333			
Video port:	50334			
Enable metadata exchange				
Server status				
Status: Running				
Start Stop Restart				
	Help (Save Close		

Configuring the camera settings of BioStar Client

- 1. For the **Name** field, enter a name.
- 2. From the **Type** drop-down list, select **AXIS**.
- 3. From the **Model** drop-down list, select **AXIS**.
- 4. For the IP Address field, enter the IP address of the AXIS NVR.

5. For the **Port** field, enter the port number you have configured in the settings of AXIS Camera Station Server.

6. For the **User name** field, enter an AXIS NVR login ID. If you log in to the server as a current Windows user, enter the current Windows account ID.

7. Click **Apply** and then **Detect**.

3/4

📑 BioStar V1.5				_ = X
Eile ⊻iew Theme Option Administra	itor <u>H</u> elp			
💽 Back 💿 Forward 🔄 Refresh 🧟	Find User Print	÷		
Camera (3)	Camera (Setup Moc	le)		
Camera AXIS NVB Server	-Basic Information			
	Name	AXIS NVR Server		
	Туре	4XIS 💌	Model A	(15
	IP Address	192 . 168 . 1 . 106	Port 50	1333
	User name	suprema₩ygchoi	Password ••	·····
Task	Details			
🐂 Add New Camera	M. Communitier			1
🙀 Add New Camera Server	Camera List		I and a	
📫 Monitor Camera	1 AXIS M320)3 - 00408CB57F65	O	
🚌 Setup Camera				
Details				
Total : 1 Selected : AXIS NVR Server				
User				
Joors 🖉				
🔛 Visual Map				
🖷 Camera				4
🚯 Access Control				
Monitoring				Detect Delete
Device				୍ର
Time and Attendance				
*				Apply
Readv				CAP NUM SCB

How to log in to AXIS NVR

1. Run Axis Camera Station Client.



2. Choose an AXIS NVR that you want to connect to and enter the IP address.

🐲 AXIS Camera Station	X
Connect to AXIS Camera Station Server	
Local server Remote server	<u>_</u>
Multiple servers	~
Always ask for credentials	
Help Connect Cancel	

3. Enter a user ID and password. If you select *Log on as current user**, your current Windows account will be used for authentication.

	Credentials for Local server	X
	Enter credentials	
	User name: Password:	
	Save credentials	
(Help OK Cancel	

4. If the settings are correct, you will be able to log in to the server.

🐲 AXIS Camera Station	
Connecting to server	

From: https://kb.supremainc.com/knowledge/ -

Permanent link: https://kb.supremainc.com/knowledge/doku.php?id=en:1xfaq_how_to_connect_axis_nvr_with_biostar

Last update: 2015/10/12 13:22