

# Table of Contents

Fingerprint Enrollment on the Slave device .....	1
Example: .....	1

System Configuration, BioStar 2

# Fingerprint Enrollment on the Slave device

From BioStar 2.5.0, you can enroll fingerprint on the slave device. This means you can select the slave device when you scan fingerprint.


## Example:

- BioStation A2 (id: 541531003) - Master Device
- BioStation L2 (id: 540084005) - Slave Device

\*\* Master device is connected with Slave device via RS-485.

Device ID	Name	Group	Device Type (Master/Slave)	IP Address	Device S
<input type="checkbox"/> 541150088	BioEntry P2 541150088	All Devices	BioEntry P2	5	Normal
<input type="checkbox"/> 865638027	BioEntry R2 865638027	All Devices	BioEntry R2	1	Normal
<input type="checkbox"/> 541531003	BioStation A2 541531003 (192.168.14.207)	All Devices	BioStation A2	192.168.14.207	Normal
<input type="checkbox"/> 939254397	BioStation A2 939254397 (192.168.14.109)	All Devices	BioStation A2	192.168.14.109	Normal
<input type="checkbox"/> 540084005	BioStation L2 540084005	All Devices	BioStation L2	5	Normal
<input type="checkbox"/> 542070072	CoreStation 40 542070072 (192.168.14.105)	All Devices	CoreStation 40	192.168.14.105	Normal

If you try to scan your fingerprint after selecting the slave device, you will succeed in the enrollment of fingerprint.



- This feature is not supported in BioLite Net.

From:  
<http://kb.supremainc.com/knowledge/> -

Permanent link:  
[http://kb.supremainc.com/knowledge./doku.php?id=en:fingerprint\\_enrollment\\_on\\_the\\_slave\\_device&rev=1585642682](http://kb.supremainc.com/knowledge./doku.php?id=en:fingerprint_enrollment_on_the_slave_device&rev=1585642682)

Last update: **2020/03/31 17:18**