

1.1.1 (V1.1.1_210623) 1
..... 1
..... 1
..... 1

1.1.1 (V1.1.1_210623)

2021-06-25

- 1.
 - 1.0.5 1.0.5 1.0.5 1.1.0 10
 - 1.0.5 가 AoC 1.1.0 가
 - 1.1.0 1.0.5
- 2.
- 3.
 - 가
 - ROI 가
 - ROI 가 ROI ROI
 - 가
- 4. 가
 - (Ambient Brightness) (LED Brightness)
 - 가
 - 가
- 5.
- 6. 2.5
- 7. USB 2 GB 가 가

1. OSDP Secure Communication

- RS-485 (: v1.0.5)
- 2. 가 (: v1.0.4)
- 3. 1.0.4 가 (: v1.0.4)
- 4. USB 가 (: v1.1.0)
- 5. ID+PIN 가 (: v1.0.5)
- 6. (: v1.1.0)
- 7. BioStar 2 가 (: v1.0.5)
- 8. 가 (: v1.0.5)
- 9. 가 Off(Lock) (: v1.1.0)
- 10. USB (: v1.0.5)
- 11. (: v1.1.0)
-
-

From:
<http://kb.supremainc.com/knowledge/> -

Permanent link:
http://kb.supremainc.com/knowledge/doku.php?id=ko:fsf2_revision_note_111&rev=1625010049

Last update: **2021/06/30 08:40**