 . 1
 . 4

, BioStar 2,

		_
	1 1	-
	•	-
· ·		

1.

)

가

BioStar	2 🛞 Settings 💆 Port () About (?) Help			
DASH BOARD	ADD DOOR	All Doors			
8	All Doors				
USER	- Test Door	■ • Name	Group	Entry Device	
	TESET	Test Door	All Doors	BioStation 2 546834511 (192.168.13.186)	
DOOR					
© ZONE					
ACCESS CONTROL					

가

•

.

(

.

.

.

2024/09/08 02:35

BioStar	2 🛞 Setting () About (?) Help				
DASH BOARD	✓ Add New Door				
8	Information				
USER	• Name	BMS Front Door		- Group	16F BMS
P	Description	Test Door Setting			
DEVICE					
•	Configuration				
DOOR	Entry Device	None	Ŧ		
\odot	Door Relay(+)	None	Ŧ		
ZONE	Exit Button	None	~		
\oplus	Door Sensor	None	×		

가

2.

.

		,	
•			
10	(Secure IO 2 DM 20)	
	(Secure 10 2, DM-20)	

,

,

.

 Entry Device 	BioLiteNet 538101264 (192.168.16.210)	Ŧ	Exit Device	BioEntryW 15	
- Door Relay(+)	Relay 0 of BioLiteNet 538101264 (192.168.16.210) Device	Ŧ			
- Exit Button	Input Port 0 of BioLiteNet 538101264 (192.168.16.210) Device	Ŧ	• Switch	Normally Open	
Door Sensor	Input Port 1 of BioLiteNet 538101264 (192.168.16.210) Device	Ψ	· Switch	Normally Open	
•					
Open					
Open Time	3 sec		 Lock when door is closed 	Out out	
Dual Authentication					
- Device	No device	Ŧ			
	7L				
	/ 1				

Alarm			
	 Held Open 	Action	+ Add
	 Held Open Time 	6 540	

•

		Action	
3 sec	 Output Release All Alarm Reboot Device Disable Device 	 Device BioEntryW 15 Output Relay 0 Signal Not Wired 	



6.

1	6F	BMS				1-1/1 × 0 × 00
						Status
		BMS Front Door	16F BMS	BioLiteNet 538101264 (192.168.16.210)	BioEntryW 15	Normal

.

.

7.

Device	BioLiteNet 538101264 (192.168.16.210)	
Door	BMS Front Door	
• Alarm	FORCED_OPEN_ALARM	
• Date	2015/09/09 16:22:20	
Comments		//

add_devices2.mp4

From: https://kb.supremainc.com/knowledge/ -

Permanent link: https://kb.supremainc.com/knowledge/doku.php?id=ko:how_to_make_doors

Last update: 2017/01/09 09:34