
.....	1
.....	1
.....	2
.....	4


, BioStar 2, TLS, , “ , ”

BioStar 2.6 가 ,



(Secure communication with device)


- 가 가 가 , .
- 가 가 가 , .
- 가 가 가 , .
- PIN 가 PIN .
- PIN 가 PIN .
- 가 , ' + ' ' +PIN' .
- PIN .




- Migration BioStar 2
- Migration (, PIN,) .
- 가 .

BioEntry P2 BioLite N2


- 1. BioStar 2
- 2. (Setting) > (SERVER) > (Advanced Security Settings)
- 3. (Secure communication with device)




- 4. (Continue)
- 5. (Server & device encryption key manual management)




- 6. (Continue)



- 7. (Encryption Key) (Change)



8.



9.

admin(ID 1)


10. (OK)




11. (Apply)

12. Migration 가 (Start)

13. Migration



14. BioStar 2 . ID **admin** .




PIN
PIN


1. BioStar 2
2. **(Setting)** > **(SERVER)** > **(Advanced Security Settings)**
3. **(Server & device encryption key manual management)**





- 4.



5. **(OK)**
6. **(Apply)**
7. Migration 가 **(Start)**
8. Migration



9. BioStar 2 . ID admin .



From:

<http://kb.supremainc.com/knowledge/> -

Permanent link:

http://kb.supremainc.com/knowledge/doku.php?id=ko:how_to_manually_manage_server_device_encryption_key

Last update: **2018/07/19 09:43**