

..... 1

..... 1

..... 1

..... 1

..... 2

..... 2

..... 3

..... 3

..... 3

..... 3

..... 3

..... 3

..... 4

..... 4

..... 4



- 
- BioStar 2
- (Daylight Saving Time)
- ID, ID,
- USB BioStar 2
- BioStar 1.x to BioStar 2.x Migration Tool
- BioStar 2 가
- 'setting.conf'

- 
- CSN Wiegand
- 
- Wiegand
- 
- ID
- /
- 
- BioStar 2
- 

- 가
- CoreStation
- Wiegand CoreStation
- 
- DM-20
- LED
- Wiegand
- 
- 
- (TLS/SSL)
- 
- SIP ID
- XPass D2
- 
- One Device(Legacy) Mode
- 
- Wiegand
- 
- XPass D2 (XPD2-GKDB)
- 
-

• [Wiegand](#)

- ( )
- 

•

- 
- 가

- (APB)
- 
- /
- 
- 
- 

• [BioStar 2](#)

- 
- 
- 
- 
- 
- 
- 
- 

- [ 가 ] /

• [BioStar 2](#)

- 
- 
- 24

- 
- 가
- 
- 
- 
-

- 
- 

- [BioStar 2 Mobile](#)
- [BioStar 2 Mobile](#)
- [BioMini](#)
- [BioStar 2 Mobile](#)
- [BioStar 2 Mobile](#)
- [Device Manager](#)

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

(AoC)

- [DESFire EV1](#)

From:  
<https://kb.supremainc.com/knowledge/> -

Permanent link:  
[https://kb.supremainc.com/knowledge/doku.php?id=ko:trn\\_config\\_main&rev=1590220297](https://kb.supremainc.com/knowledge/doku.php?id=ko:trn_config_main&rev=1590220297)

Last update: **2020/05/23 16:51**