

..... 1

..... 1

..... 1

..... 1

..... 2

..... 2

..... 3

..... 3

..... 3

..... 3

..... 3

..... 3

..... 4

..... 4

..... 4

System Configuration



BioStar 2

BioStar 2

-
-
-

-
-
-
-
-
-
-
-
-
-
-
-

- [BioStar 2](#)
-
- [HTTP HTTPS](#)
- [BioStar 2](#)
- [16](#)

-
- BioStar 2
- (Daylight Saving Time)
- ID, ID,
- USB BioStar 2
- BioStar 1.x to BioStar 2.x Migration Tool
- BioStar 2 가
- 'setting.conf'

-
- CSN Wiegand
-
- Wiegand
-
- ID
- /
-
- BioStar 2
-

- 가
- CoreStation
- Wiegand CoreStation
-
- DM-20
- LED
- Wiegand
-
- (TLS/SSL)
-
- SIP ID
- XPass D2
-
- One Device(Legacy) Mode
-
- Wiegand
-
- XPass D2 (XPD2-GKDB)
-
-

- [Wiegand](#)
- ()
-
- [test](#)

-

-
- [가](#)

- [\(APB\)](#)
-
- /
-
-
-

- [BioStar 2](#)

-
-
-
-
-
-
-
-
-

- [[가](#)] /
- [BioStar 2](#)

-
-

- [24](#)

-
- [가](#)
-
-
-
-

-
-

- [BioStar 2 Mobile](#)
- [BioStar 2 Mobile](#)
- [BioMini](#)
- [BioStar 2 Mobile](#)
- [BioStar 2 Mobile](#)
- [Device Manager](#)

-
-
-
-
-
-
-
-
-
-

[\(AoC\)](#)

- [DESFire EV1](#)

From:
<http://kb.supremainc.com/knowledge./> -

Permanent link:
http://kb.supremainc.com/knowledge./doku.php?id=ko:trn_config_main&rev=1640819250

Last update: **2021/12/30 08:07**