

BioStar 1	BioStar 2	1
	BioStar 2	1
		1
		1
		2
		2
		2
		2
		2
		3

BioStar 1

BioStar 2

BioStar 1 BioStar 2
가
가

, BioStar 1 BioStar 2
BioStar 2 BioStar 1

BioStar 2

- BioStar 1.91: BioStation 2, BioStation A2, BioStation L2, Secure IO 2
- BioStar 1.92: BioEntry W2, BioStation 2, BioStation A2, BioStation L2, Secure IO 2

- BioStar 2 BioStar 1

- BioEntry W2: 1.0.0
- BioStation 2: 1.2.1
- BioStation A2: 1.1.0
- BioStation L2: 1.0.1

- BioStar 1 가
- PIN: PIN BioStar 1 가 BioStar 2 PIN
- BioStar 2 1
- BioStar 2 BioStar 2

- : BioStar 1 BioStar 2 , BioStar 1 BioStar 2 (Unlock Time/Lock Time): BioStar 2 BioStar 2 . (BioStar 2 , .)
- : BioStar 1 BioStar 2 BioStar 1 BioStar 2
- : BioStar 2
- : BioStar 2 Full Access BioStar 1 BioStar 1 Full Access가 BioStar 2 Full Access가 BioStar 2 Full Access가 BioStar 2 Full Access가
- : BioStar 1 BioStar 2 RS-485 BioStar 1 BioStar 2 RS-485
- : BioStar 2 BioStar Server BioStar Server BioStar 1
- : BioStar 2 RS-485 BioStar RS485
- / : BioStar 2 BioStar 2
- Wiegand: BioStar 2
- MIFARE CSN: BioStar 2 MIFARE CSN BioStar 1 Byte Order가 MSB BioStar 2 LSB BioStar 1 Byte Order가 LSB BioStar 2 MSB
- : BioStar 1 BioStar 2

가 .

- / : 2.x / .
- : 2.x USB .

From:

<https://kb.supremainc.com/knowledge/> -

Permanent link:

https://kb.supremainc.com/knowledge/doku.php?id=ko:tc_appnote_biostar2_devices_on_biostar_191

Last update: **2017/05/19 11:41**