Table of Contents

Version 1.1.0 (V1.1.0 180317)	
Release	
Bug Fixes	

Version 1.1.0 (V1.1.0_180317)

Release

2018-03-26

New Features and Improvements

- 1. Support Muster zone.
- 2. Support Reset without Network Settings.
- 3. Support Daylight Saving Time setting.
- 4. Improves Trigger & Action for duress finger.
- 5. Support Private Authentication on AoC.
- **6.** Improves to handle the encryption key of the important information stored in database differently from server to server.
- 7. Support One Device Mode(Legacy).
- **8.** Added a message asking whether to delete the fingerprint in the database after completing AoC issuance.
- 9. Support the secure tamper.
- 10. Support ISO14443A 10 Byte CSN.
- 11. Support connecting with BioLite N2, XPass D2.

Bug Fixes

- 1. iCLASS 2K card can not be issued as a smart card.
- 2. Problem with reading mobile smart cards on Galaxy S4.
- 3. Galaxy S5 NFC is recognized as a CSN card when authenticating with NFC and the authentication fails.
- 4. Issue that does not work when template size is set to 384 bytes when issuing NFC card.
- 5. Fixed that Hard APB authentication failure notification is distinguished from general authentication failure notification.
- 6. Issue where the device can not read HID Prox II card.
- 7. Fixed to generate buzzer or sound when starting the intrusion alarm.
- 8. Problem that delay time of Action Signal Output is not applied in the slave device.
- 9. Fixed to the device operates in the input waiting state until the authentication time is exceeded when a Wiegand card that is different from the Wiegand format set in the device is input after Arm / Disarm card input.
- 10. Problem where the response rate was slow when Arm / Disarm occurred.
- 11. Fixed to Entrance Limit Soft log to be recorded when authentication exceeds the allowed number.

From:

https://kb.supremainc.com/knowledge/ -

Permanent link:

https://kb.supremainc.com/knowledge/doku.php?id=en:bep2_revision_note_110

Last update: 2021/06/01 08:55