Table of Contents

Technical Column	1
Security Threats to Face Recognition and FaceStation 2 Technology	
Suprema Multi-dynamic Range (MDR) Technology	1
BioStar 2 and Web Security	2
Hyper Data Transfer for BioStar 2	2
New Image Compression Technology of SFM5500 Series	
Next Generation Verification Scanner, BioMini Slim	2
Multiple sub-IDs of FaceStation	
Suprema's Fingerprint Algorithm	1
Adaptive IR Illumination Technology for Face Recognition	1
Smart Enrollment Technology for Face Recognition System	2
How to clean fingerprint sensors	2
RS-485 Wiring Guide	2
Proper Use of Relays	2

Technical Column

Suprema's fingerprint recognition algorithm against dry fingerprints

In either cold or dry environments, the state-ofthe-art fingerprint sensor applied to Suprema's products demonstrates performance that far surpasses other companies' fingerprint sensors. With its state-of-the-art fingerprint sensor and superlative algorithm, Suprema provides performance that is about 31 times higher indoors and about 19 times higher outdoors than other companies' products.

Multiple sub-IDs of FaceStation

Face recognition is gaining much more attention relative to other biometric recognition technologies due to not only the simple convenience it provides but also its ability to avoid various privacy issues. As facial information is publically displayed, there is little concern for a user to show his face to the device.

READ MORE

READ MORE

Security Threats to Face Recognition Suprema has developed a fingerprint verification and FaceStation 2 Technology

prone to spoofing as fingerprint-based methods. Is its security also vulnerable to similar methods?

READ MORE

algorithm, which has been proven to be one of the most advanced technologies in Fingerprint The authentication through face recognition is as verification contest (FVC). It is the core technology of our company, which can be applied to the embedded module, PC authentication library, and various application products.

Suprema's Fingerprint Algorithm

READ MORE

Suprema Multi-dynamic Range (MDR) Technology

Compared to the fingerprint access control devices installed in a fixed position, fingerprint authentication scanners are more likely to be used in a varied positions and locations. Suprema's patented MDR technology is available illumination based face recognition techniques in selected BioMini models, namely BioMini Plus 2, BioMini Combo and BioMini Slim. MDR technology delivers greater benefits to mobile authentication applications where fingerprint scanners are connected with mobile devices in varied locations and positions.

Adaptive IR Illumination Technology for Face Recognition

Variations in background illumination have always been one of the main challenges for a practical face recognition system. Active are considered to be one of the most promising and practical methods used to solve illumination issues in indoor applications.

READ MORE

READ MORE

BioStar 2 and Web Security

This article explains the differences of the two security protocols (HTTP and HTTPS) that are being by used by BioStar 2, which is a webbased security platform, and explains the reason individuals. It is much more universal, why HTTPS should be used.

READ MORE

Hyper Data Transfer for BioStar 2

The available memory bandwidth and increasing CPU performance outpace that of I/O devices. As a result, handling the I/O operations perfectly is How to clean fingerprint sensors the key point for designing a system architecture. For this reason, the BioStar 2 server adapted an asynchronous system architecture for handling network I/O operations. contamination may affect image quality, Before taking a deep look into the asynchronous degrading authentication performance. system architecture, let's understand the synchronous system architecture first.

READ MORE

New Image Compression Technology RS-485 signaling relies upon balanced and of SFM5500 Series

The SFM5500 series overcame this problem and RS-232, such as strong noise immunity and multi have been equipped with the new technology to drop configuration capability. These are the compress fingerprint images and guickly send high quality images via a low bandwidth network 485 signaling systems, which are worth reading environment. When compressing, the quality degradation is minimized (Figure 2), but the datasystem. size is lowered by 90%, reducing the time it

takes to be sent by 90%, as well. Moreover, you READ MORE can set the system to compress images in different levels, enabling you to appropriately adjust the transfer speed and the image quality according to its use.

READ MORE

Next Generation Verification

Smart Enrollment Technology for Face Recognition System

Human face is one of the most common and non-intrusive biometrics used to identify acceptable and easier to access than a fingerprint. Recently, the use of face recognition technology in cooperative biometric systems such as access control, time & attendance and PC security is increasing.

READ MORE

The fingerprint sensors can be soiled by user's fingers, dust, or other sources. This

READ MORE

RS-485 Wiring Guide

differential signaling scheme, and has many advantages over unbalanced signaling such as most frequently-asked questions on using RSbefore designing a RS-485 BioStar network

Proper Use of Relays

This article is intended to introduce a basic application guide for relays in access control devices. Additionally, a means to prevent undesired arcing in relay contacts is proposed, to suppress unintended radiation and maintain relay lifespan.

Scanner, BioMini Slim

BioMini Slim, the world's thinnest PIV certified FAP20 optical scanner, is made using key optical technology, image acquisition and algorithms accumulated over 10 years. It is a new concept scanner overcoming the available environmental limits of existing scanners and is optimized for the mobile environment.

READ MORE

From: https://kb.supremainc.com/knowledge/ -

Permanent link: https://kb.supremainc.com/knowledge/doku.php?id=en:tc_technology&rev=1527577720

Last update: 2018/05/29 16:08

3/3