

BioStar V1.8	1
MSSQL	1
MySQL	1
Oracle	2

BioStar 1, , MSSQL, MySQL, Oracle

## BioStar V1.8

BioStar 1.8

가

BioStar 1.8

## MSSQL

1. SQL Server Management Studio Express

. [Microsoft Developer Network.](#)

2. **New Query**

```
USE BioStar
GO

IF EXISTS (SELECT * FROM dbo.sysobjects WHERE id =
object_id(N'[dbo].[sp_SelectAllUserFingerPrintInfo]') AND
OBJECTPROPERTY(id, N'IsProcedure') = 1)
DROP PROCEDURE [dbo].[sp_SelectAllUserFingerPrintInfo]
GO

CREATE          PROCEDURE dbo.sp_SelectAllUserFingerPrintInfo
WITH encryption
AS
    SET nocount ON

SELECT nUserIdn, nIndex, bTemplate, nTemplateCs, nDuress, nEncryption,
nSecurityLevel, nFingerIndex, nTemplateIndex
FROM TB_USER_TEMPLATE
ORDER BY nUserIdn, nIndex, nTemplateIndex

GO
```

## MySQL

1. **C:\Program Files\BioStar\server  
Files(x86)\BioStar\server**

가 64

**C:\Program**

2. **mysqlUserManager.dll**

## Oracle

1. **C:\Program Files\BioStar\server** . , 가 64 **C:\Program**  
**Files(x86)\BioStar\server** .
2. **oracleUserManager.dll** .

From:

<http://kb.supremainc.com/knowledge/> -

Permanent link:

[http://kb.supremainc.com/knowledge/doku.php?id=ko:1xfaq\\_biostar\\_v1\\_8\\_server\\_matching](http://kb.supremainc.com/knowledge/doku.php?id=ko:1xfaq_biostar_v1_8_server_matching)

Last update: **2016/09/02 14:44**