
.....	1
.....	1
.....	1
/ 	2
.....	3
.....	4

가
가 ()

가

1) (User) 가(Add User) (Credential)

Credential

- PIN
- Auth Mode** Device Default
- Credential**
- 1:1 Security Level** Device Default

Type	Card Data Format
Fingerprint	-
QR/Barcode	-

2) (Auth Mode) (Private Mode)

Credential

- PIN
- Auth Mode** Private Mode
- Exclude Device Default Authentication Mode

3) + 가(+ Add)

Credential

- PIN
- Auth Mode** Private Mode
- + Add**
- Exclude Device Default Authentication Mode

4) (Ok)

Add New Auth Mode

- Extended Auth Mode** Not Use
※ Extended Auth Mode is only supported by FaceStation F2.
- Auth Mode**

Biometrics	Fingerprint	Face	Card	ID	PIN
------------	-------------	------	------	----	-----

5)

/

BioStar 2


(Include Device Default Authentication Mode)

(Exclude Device Default Authentication

Mode)



1) 가



가

, PIN


, ID +

가

, ID + PIN

2)

가



, ID +

ID + PIN

		<input checked="" type="checkbox"/> Private Mode
	Always	 +  + 
	Always	
		<input type="checkbox"/> Exclude Device Default Authentication Mode

PIN

From:
<http://kb.supremainc.com/knowledge/> -

Permanent link:
http://kb.supremainc.com/knowledge/doku.php?id=ko:how_to_configure_a_private_authentication_mode

Last update: **2018/07/10 15:01**