


DM-20	.....	1
	DM-20 .....	2
DM-20	.....	3
	DM-20 .....	4


, BioStar 2, "DM-20"

## DM-20


1. BioStar 2 (DEVICE)
2. RS-485 (Master)



3. (Apply)
4. (Search Slave Device)



5. RS-485가 , DM-20



6. 가(Add)

(DEVICE) DM-20 , Supervised input

Supervised input . DM-20

**Information**

- Name: DM-20 788879...
- Device ID: 788879333
- Device Type: DM-20
- Firmware Version: 1.0... [Firmware Upgrade](#)
- Product Name: DM20
- Kernel Version: 0.0.0
- Hardware Version: 0.0.0

**Advanced**

**Supervised Input**

- Configuration

Index	Supervised	Supervised Input Resistor
0	<input checked="" type="checkbox"/> Supervised Input	2.2kΩ
1	<input checked="" type="checkbox"/> Supervised Input	2.2kΩ
4	<input checked="" type="checkbox"/> Supervised Input	2.2kΩ
5	<input checked="" type="checkbox"/> Supervised Input	2.2kΩ

Cancel

[DM-20      ]

## DM-20

1. (DEVICE)
2. (Advanced) > (Trigger & Action)
3. + 가(+ Add)
4. (Device) DM-20
- 5.

**Add Trigger & Action**

Trigger	Action
<input type="radio"/> Pre-defined Alarm <input checked="" type="radio"/> Input	<input type="radio"/> Output <input type="radio"/> Release All Alarm <input type="radio"/> Reboot Device <input checked="" type="radio"/> Disable Device <input type="radio"/> Function
• Device DM-20 788879333	• Device BioStation 2 546832593 (...)
• Port Supervised Input Port 0 a...	
• Switch Normally Open	
• Duration(ms) 100	
• Schedule Always	

Apply Cancel


## DM-20

Wiegand Reader

: [DM-20](#)


1. (DEVICE)  
Wiegand Device)

Wiegand 가(Add



2. 가(Add)
3. (DOOR)
4. 가(ADD DOOR)
5. (Entry Device)


6. (Exit Device) Wiegand Reader
7. DM-20 (Door Relay), (Exit Button), (Door Sensor)



8. (Apply)

## DM-20

1. BioStar 2 (Settings)
2. (TRIGGER & ACTION)



3. 가 (ADD TRIGGER & ACTION)
4. (Schedule)
5. ( / / )

- |    | (Device),      | (Door),  | (Zone) |
|----|----------------|----------|--------|
| 6. |                |          |        |
| 7. | (Device) DM-20 | .        |        |
| 8. | (Output)       | (Signal) | .      |

Trigger & Action

Name

My DM-20 Trigger

Schedule

Always

Device

Door

Zone

All Devices

BioStation 2 54683259

DM-20 788879333

BioStation L2 540084005

New Device Group 1

New Device Group 2

Event

Supervised Input (Open)

Supervised Input (Short)

Tamper on

RS-485 disconnected

Device restarted

Device

BioStar

All Devices

BioStation 2 546832593 (19)

DM-20 788879333

BioStation L2 540084005 (19)

New Device Group 1

New Device Group 2

Action

Output

Relay 3

Signal

Testsignal

9. **(Apply)**

From:

<http://kb.supremainc.com/knowledge/> -

Permanent link:

[http://kb.supremainc.com/knowledge/doku.php?id=ko:how\\_to\\_configure\\_dm-20](http://kb.supremainc.com/knowledge/doku.php?id=ko:how_to_configure_dm-20)

Last update: **2018/07/10 16:21**