

**BS2\_GetUserDatas** ..... 1

..... 1

..... 1

..... 2

..... 2

# BS2\_GetUserDatas

[+ 2.5.0]  
userMask

가 .  
가 .

```
#include "BS_API.h"

int BS2_GetUserDatas(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

## BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	
0x0400	
0x0800	(F2)
0x1000	(F2)
0xFFFF	

BS\_SDK\_SUCCESS , 가

- BS2\_GetUserList
- BS2\_RemoveUser
- BS2\_RemoveAllUser
- BS2\_GetUserInfos
- BS2\_GetUserInfosEx
- BS2\_EnrolUser
- BS2\_EnrolUserEx
- BS2\_GetUserDatas
- BS2\_GetUserDatasEx

From:  
<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:  
[http://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2\\_getuserdatas&rev=1597976871](http://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_getuserdatas&rev=1597976871)

Last update: **2020/08/21 11:27**