

Table of Contents

<i>BS2_GetUserSmallDatasExFromDir</i>	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[USB Exported Control API](#) > [BS2_GetUserSmallDatasExFromDir](#)

BS2_GetUserSmallDatasExFromDir

[+ 2.6.3] Gets the user information of the given user ID & usermask from USB exported data. (Including Job, phrase)

The only difference between [BS2_GetUserDatasExFromDir](#) which is using structure [BS2UserBlobEx](#) is that the 5th parameter `BS2UserPhoto` of `BS2UserSmallBlobEx` is using pointer for efficient memory use.

Declaration

```
#include "BS_API.h"

int BS2_GetUserSmallDatasExFromDir(void* context, const char* szDir, char*
uids, uint32_t uidCount, BS2UserSmallBlobEx* userBlob, BS2_USER_MASK
userMask);
```

[See BS2UserSmallBlobEx Structure](#)

Parameter

- [In] *context* : Context
- [In] *szDir* : Storage path in device
- [In] *uids* : User ID list trying to get
- [In] *uidCount* : Number of user ID
- [Out] *userBlob* : Pointer to store the user information
- [In] *userMask* : User Mask

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetUserSmallInfosFromDir](#)
[BS2_GetUserSmallDatasFromDir](#)

[BS2_GetUserSmallInfosExFromDir](#)
[BS2_GetUserSmallDatasExFromDir](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getusersmalldatasexfromdir&rev=1560843978

Last update: **2019/06/18 16:46**