

Table of Contents

| | |
|---|---|
| BS2_GetUserInfosFromDirWithKey | 1 |
| Declaration | 1 |
| Parameters | 1 |
| Return value | 1 |
| See Also | 1 |

[USB Exported Control API](#) > [BS2_GetUserInfosFromDirWithKey](#)

BS2_GetUserInfosFromDirWithKey

[+2.8.2] Gets the user information corresponding to the user identifier from the data extracted by USB.

Declaration

```
#include "BS_API.h"

int BS2_GetUserInfosFromDirWithKey(void* context, const char* szDir, char*
uids, uint32_t uidCount, BS2UserBlob* userBlob, const BS2EncryptKey* key);
```

[View the structure of the BS2UserBlob](#)

Parameters

- [In] *context* : Context
- [In] *szDir* : Data storage path
- [In] *uids* : List of user identifiers to be imported
- [In] *uidCount* : Number of user identifiers
- [Out] *userBlob* : Pointer to store user information
- [In] *key* : Encryption key and the key value specified by [BS2_SetDataEncryptKey](#)

Return value

Returns BS_SDK_SUCCESS if performed successfully, or a corresponding error code if an error occurs.

See Also

[BS2_GetUserDatabaseInfoFromDirWithKey](#)
[BS2_GetUserListFromDirWithKey](#)
[BS2_GetUserDatasFromDirWithKey](#)
[BS2_GetUserInfosExFromDirWithKey](#)
[BS2_GetUserDatasExFromDirWithKey](#)
[BS2_GetLogFromDirWithKey](#)
[BS2_GetLogBlobFromDirWithKey](#)
[BS2_GetFilteredLogFromDirWithKey](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getuserinfosfromdirwithkey

Last update: **2022/04/21 09:46**